Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1018	characteristic with magnetic adj head same (measur$3 test$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:37
S2	7	S1 same "head gimbal assembly"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 08:50
S3	5	S1 same prob$3 with (pin connector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:01
S4	5374	connect$4 with pin same different with direct$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:03
S5	2	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:03
S6	591	S4 and magnet$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:19
S7	25	S4 and magnet$3 adj head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:37
S8	24	360/246.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 09:56

S9	699	Kasajima "in."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:01
S10	2	S9 and probe with (pin connector) same different with direct$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:06
S11	629	702/108.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:06
S12	1	S11 and magnetic adj head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:08
S13	19	S11 and connect$3 near3 method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:30
S14	10	connect$3 near3 method same (measur$3 test$3) with magnetic adj head	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 10:57
S15	4	"5898303"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/06 11:08
S16	15	"5854554"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/08 13:01

S17	87	(probe detect$3 measur$3 inspect$3) near3 pin same different with (angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:47
S18	3127113	(probe detect$3 measur$3 inspect$3) near3 pin same different with ("90" "180") with angle degree	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:50
S19	2	(probe detect$3 measur$3 inspect$3) near3 pin same (different with ("90" "180") with (angle degree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:56
S20	88	(probe detect$3 measur$3 inspect$3) near3 pin and (different with ("90" "180") with (angle degree))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 14:57
S21	371	324/210.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/07 15:37